

Product data sheet

Product category	Portable aircos cooling and heating
Brand	Tectro
Model	TPH 4026
Colour	White
EAN code	8713508789446

Technical specifications		Cooling	Heating
EER / COP	W/W	2,6	2,3
Energy class		A	A
Power supply	V/Hz/Ph	220 - 240~ / 50 / 1	
Capacity (min. - max.)	kW	2,6	2,4
Airflow	m³/h	250	
For rooms up to	m³	60 - 85	
Dehumidification capacity	l/24 h	29	
Operating range	°C	18 ~ 35	
Thermostatic range	°C	16 ~ 31	
Sound pressure noise level at 1 m - high mode (SPL)	dB(A)	55	
Sound power level (SWL)	dB	65	
Fan speeds	positions	2	
Control		electronic	
Air filter	type	Nylon / Screen	
Refrigerant type / GWP / Charge	R/g	R290 / 3 / 160	
Dimensions (w x d x h)	mm	330 x 280 x 680	
Compressor type		rotary	
CO ₂ equivalent	tonnes	0,00048	
Protection class		IP20	
Net. weight	kg	20	
Warranty	year	2	

All data is measured in accordance with applicable EU specified standards at the time of production. To be used for indicative purposes only.

Package content

Portable airconditioner with heating, Remote control, Filter, Drainage tube, Hose inlet, Hose outlet, User manual

Accessories (to order)


Description	EAN code



2 year guarantee



Adjustable airflow



Class A Energy consumption



Cooldown function



Comfortable heat



Dehumidifier function



Easy to move



Daytimer



Fan only mode



Eco-friendly refrigerant R290

Electronic controls: The unit is equipped with electronic controls.

Remote control: This unit can be operated with an easy to handle remote control.

Temperature indication: When the appliance is operating, the room temperature is displayed on the screen. It can vary between $||\text{OperatingTemperatureMin}||$ ° C and $||\text{OperatingTemperatureMax}||$ ° C. NOTE: The device adapts to the conditions of the room.

2 Fan speed setting: Select the fan speed: low or high. The display will show the chosen speed.

Timer: Operating time to be set to 24 hours. The unit switches off or on automatically when the set time has run down.

Air conditioning: The unit produces, with relatively high energy, a pleasant and refreshing high capacity cool airflow. Unhealthy particles are captured by the air filters. Performance is optimal when the entering of warm outside air.

Heater: Equipped with a dual heating / air conditioning function, this model offers a comfortable backup heater of for use all year round.

Cooldown effect: The unit removes humidity by condensation. The condensate cools the condenser and is removed by the hot air discharge. This will increase the energy efficiency, the so called "cool down" effect.

Dehumidification: The unit can also be used as a dehumidifier only. In that case the exhaust hose is not connected and warm air returns in the room.

Continuous drainage: In use as dehumidifier it is necessary to connect a continuous drainage tube (not included) to the unit.

Exhaust duct: Hot air and humidity is transported, by an easy to install exhaust duct, outside the room

Refrigerant gas R290: Natural gas with high energy efficiency. Environmentally friendly, R290 gas has a neutral impact on the ozone layer.
